

AMENDMENTS TO THE CLAIMS

Claim 1 (Currently Amended): An organic electroluminescent device comprising in sequence an anode, a first emitting layer, a carrier barrier layer, a second emitting layer and a cathode stacked;

wherein the ionization potential of the carrier barrier layer is more than the ionization potential of the first emitting layer by 0.1 eV or more and the affinity level of the carrier barrier layer is less than the affinity levels of the first emitting layer and the second emitting layer by 0.1 eV or more;

provided that the carrier barrier layer which is formed of bathocuproine is excluded.

Claim 2 (Original): The organic electroluminescent device according to claim 1, wherein the ionization potential of the carrier barrier layer is more than the ionization potential of the first emitting layer by 0.2 eV or more and the affinity level of the carrier barrier layer is less than the affinity levels of the first emitting layer and the second emitting layer by 0.2 eV or more.

Claims 3-4 (Canceled)

Claim 5 (Previously Presented): The organic electroluminescent device according to claim 1, wherein the first emitting layer comprises a first dopant for a first emission color and the second emitting layer comprises a second dopant for a second emission color.

Claim 6 (Original): The organic electroluminescent device according to claim 5, wherein at least one carrier barrier layer comprises a third dopant for a third emission color.

Claim 7 (Original): The organic electroluminescent device according to claim 6, wherein the first, second and third dopants are selected from blue, green or red.

Claim 8 (Previously Presented): The organic electroluminescent device according to claim 1, wherein the first emitting layer emits blue or red light.

Claim 9 (Previously Presented): The organic electroluminescent device according to claim 1, wherein the second emitting layer emits blue or red light.

Claim 10 (Previously Presented): The organic electroluminescent device according to claim 1, wherein one of the first emitting layer and the second emitting layer emits blue light, and another emitting layer emits red light.

Claim 11 (Previously Presented): The organic electroluminescent device according to claim 1, wherein the first emitting layer comprises a hole-transporting material and the second emitting layer comprises an electron-transporting material.

Claim 12 (Original): The organic electroluminescent device according to claim 11, wherein the hole mobility of the first emitting layer is $10^{-5} \text{ cm}^2/\text{V}\cdot\text{s}$ or more and the electron mobility of the second emitting layer is $10^{-6} \text{ cm}^2/\text{V}\cdot\text{s}$ or more.

Claim 13 (Previously Presented): The organic electroluminescent device of claim 1 that emits white light.

Claims 14-20 (Canceled)